

Receiving Report

Date: 11/5/13
 Supplier: UUBACH

Batch No: M167708
 Dart P/O: 17074

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☒
 QC6 Inspection 8 N/A ☒
 Work Order 11/5/16 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 11/5/13
 Date [Signature]
 Received/Costing [Signature]
 Initial [Signature]

Location [Signature]

Purchase Order Receipt Listing

Page 1 of 1

Friday, May 13, 2011 3:08:25 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO14074 Receipt Dates from 5/13/2011 to 5/13/2011 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name	VC-DIV001 Diversified Ulbrich										
PO14074	1		M304EX0.75-16F	sf	5/16/2011	5/13/2011	320.0000	\$4.85	0.0000	0	\$1,553.50
CAD	No		Expanded Metal Flat	sf	320.0000	DESJ02		\$1,553.50	0.0000	0	
			SS								
			117708								

Total Received Quantity:	320.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$1,553.50
Total Balance Due Quantity:	0.0000



Diversified Ulbrich
20 Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950

PACKING LIST

Page: 1

I023950

SOLD TO:
00022279

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

SPECIAL INSTRUCTIONS

SHIP TST GROUND

Contact: SUE BEDFORD (PA

Ship Terms: COLLECT

MTR:Y

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO
CANADIAN DOLLARS	BOB MESSETT	(613) 632-5200	(613) 632-4443	PO14074

Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W215659	NET 30 DAYS	COMMON CARRIER	05/12/11	05/13/11	05/13/11

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
10		PC	SSH T-304 EXP 16F x 3/4" x 48" 180 LB / 10 PC DIAMONDS MUST RUN ALONG 8' LENGTH 1 PALETTE, CERT. D'ANALYSE	L013423	7RF9	10
			Approx Weight:	180.0 LB	05/12/11	11:36:55

Received by: _____ Date: _____ Signature: _____



**NORTH AMERICAN
STAINLESS**

METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 598353 01

Mail To:
NORTH AMERICAN STAINLESS CANADA, INC.

740 IMPERIAL ROAD NORTH
GUELPH, ON N1K2E3
CANADA

Ship To:
NORTH AMERICAN STAINLESS CANADA, INC.

740 IMPERIAL ROAD NORTH
GUELPH, ON N1K2E3
CANADA

Date: 11/04/2010 Page: 1

Steel: 304/304L

Finish: 2B

Corrosion: ASTM A262/02aH; 180 Pass-OK

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UWT 10409/10401
ASTM A240/10, A480/10, A666/10, ASME SA240/10, SA480/10, SA666/10
CHECK ONLY ON FOLLOWING ASTM: A276/10, A479/10, A484/10, A312/07
CHECK ONLY ON FOLLOWING ASME: SA312/10, SA479/10
AND 5511N/5513J CHECK; MIL-S-5085D AND (X CHE MERS); MIL-S-4043B
NACE MR0175/01, MR0103/07; QCS746D-A X HAS PERM
MIL. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is free of Mercury Contamination. No weld repairs.
NF 18204; 1004 3.1; QCS763F Good A; RoHS Compliant
Material is Free of Radioactive Contamination
NAS Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001
Melted & Manufactured in the USA; Mat'l is DPAAS Compliant

Product ID #	Coil #	Thickness	Width	Weight	Length	Mark	Pieces
017RP9 A	017RP9 A	.0620	48.0000	15.640	1655.9	25	1

CHEMICAL ANALYSIS

TEST	CM	C	CR	CU	MS	MD	N	NI	P	S
72P9	DB	.0295	18.2740	.4880	1.4855	.4310	-.0743	8.1340	.0345	.0010
	SI	.3260								

MECHANICAL PROPERTIES

Product ID #	Coil #	1/4" TTS KSI	1/4" YS KSI	ELONG 4-2"	Hard RB	Tail Hard	
017RP9 A	017RP9 A	FT	97.04	52.98	45.79	16.50	86.00

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

ERIC HBSS

2/28/2011

P200867



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO14074**

Purchase Order Date 5/12/2011

PO Print Date 5/12/2011

Page Number 1 of 1

Order From :

VC-DIV001

DIVERSIFIED ULBRICH
26A BLVD. HYMUS
POINTE-CLAIRE, QC H9R 1C9
CA

Contact Name

Vendor Phone 514 694 6522

Vendor Fax 514 694 0266

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
C2/1/10/5/13

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	5/16/2011 Yes	320.00 sf	TST ground	\$4.8547	\$1,553.50

Special Inst:

MATERIAL: AISI 304/316 STAINLESS
STEEL EXPANDED METAL
DIAMONDS MUST RUN ALONG 8'
LENGTH

PO Total:

\$1,553.50

**MATERIAL CERTIFICATION
REQ'D UPON DELIVERY**

Change Nbr: 1

Change Date: 5/12/2011

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

TRANSMISSION VERIFICATION REPORT

TIME : 05/12/2011 10:06
NAME :
FAX :
TEL :
SER.# : F9N212739


DATE, TIME	05/12 10:06
FAX NO./NAME	15146940266
DURATION	00:00:19
PAGE(S)	01
RESULT	OK
MODE	STANDARD
	ECM

SPECIFICATION CONTROL DRAWING

REFERENCE ONLY

REFERENCE ONLY

REFERENCE ONLY



STYLE	SIZE OF DIAMOND ¹				SIZE OF STRAND				WEIGHT lb/ft ²	
	"A"		"B"		WIDTH "W"		THICK		STD	FLAT
	STD	FLAT	STD	FLAT	STD	FLAT	STD	FLAT		
1/2-18	0.48	0.48	1.20	1.24	0.085	0.100	0.050	0.040	0.73	0.70
1/2-16	0.48	0.48	1.20	1.24	0.085	0.100	0.062	0.050	0.91	0.90
3/4-18	0.90	0.90	2.00	2.10	0.100	0.118	0.050	0.040	0.47	0.46
3/4-16	0.90	0.90	2.00	2.10	0.100	0.118	0.062	0.050	0.60	0.57
3/4-13	0.90	0.90	2.00	2.10	0.100	0.118	0.094	0.070	0.91	0.88
3/4-9	0.90	0.90	2.00	2.10	0.150	0.165	0.140	0.120	2.05	1.96

¹ A TOLERANCE OF +/-10% OR +/- 0.07 (MIN) IS PERMITTED

RELEASED
2010-05-28

PURCHASE MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH
(REF. STAINLESS STEEL PER ASTM A240)

SPECIFICATION: ASTM F1267 OR MIL-M-17194D

PART NUMBER: M304EX.YY|TT|F
|SIZE|GA|

Y.YY = SIZE
TT = GAUGE THICKNESS OF METAL
F = FLATTENED (OPTIONAL)

EG. 3/4"-16F EXPANDED METAL MESH (FLATTENED) = M304EX0.75-16F

B	REFORMAT DWG, ADD MIL/ASTM SPECS (ZN A8-1), ADD TABLE & DETAIL (ZN C6-1), REF NCR 09-090	CP	10.01.11
A	NEW ISSUE	DS	01.07.16
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN		DRAWING NO.	REV. B
CHECKED		M304EX	SHEET 1 OF 1
MFG. APPR.		TITLE	SCALE
APPROVED		304/316 SS EXPANDED METAL MESH	NTS
DE APPR.		COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	10.01.11		

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SHEET
ANNEALED
2B FINISH

SPECIFICATION: MIL-S-5059
OR AMS 5513 (304)
OR AMS 5524 (316)
OR ASTM A240
OR ASME SA240

PART NUMBER: M304S TT GA
GA

WHERE "TT" = GAUGE THICKNESS

EG. 16 GAUGE SS SHEET = M304S16GA

GAUGE THICKNESS REFERENCE:

GAUGE	NOM. THICK. (IN)	THICKNESS RANGE (IN)
26	0.01875	0.0178 - 0.019
25	0.021875	0.0199 - 0.023
24	0.025	0.024 - 0.026
23	0.028125	0.027 - 0.029
22	0.03125	0.030 - 0.032
21	0.034375	0.033 - 0.035
20	0.0375	0.036 - 0.040
19	0.04375	0.041 - 0.046
18	0.050	0.047 - 0.052
17	0.05625	0.053 - 0.058
16	0.0625	0.059 - 0.065
15	0.0703125	0.066 - 0.072
14	0.078125	0.073 - 0.083
13	0.09375	0.084 - 0.098
12	0.109375	0.099 - 0.114
11	0.125	0.115 - 0.130
10	0.140625	0.131 - 0.145
9	0.15625	0.146 - 0.160
8	0.171875	0.161 - 0.176

REFERENCE ONLY

REFERENCE ONLY

REFERENCE ONLY

RELEASED
09/06/23/14

B	REFORMAT DWG, ADD ASTM/ASME SPECS (ZN D8-1), ADD GAUGE REF (C8-1), REF PAR 08-020A	CP	09.08.01
A	NEW ISSUE	DS	01.09.24
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	09.06.01		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. M304S	REV. B
TITLE 304/316 SS SHEET	SHEET 1 OF 1
SCALE NTS	
COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	